



Description

Provide superior hand drying and comfort to your guests with the soft Premium Tork Xpress® Soft Multifold Hand Towels that are gentle to the hands with a high quality feel. These towels are suitable for the Tork Xpress® Multifold Hand Towel Dispenser for medium traffic washrooms. It fits small places and provides both comfort and hygiene to your guests.

- Attractive Tork Leaf décor: designed to make a great impression
- A large, soft hand towel with a high quality feel that leaves a lasting impression
- QuickDry™ – our strongest, most absorbent paper, for more efficient drying with less waste
- One-at-a-time dispensing for reduced consumption and increased hygiene
- QuickDry

Product Certifications



Product Details

System	H2
Color	White
Folding type	Multifold Z
Panel	3
Print	No
Unfolded Width	21,2 cm
Folded width	21,2 cm
Embossing	Yes
Pulp Quality Indicator	3
Folded length	8,5 cm
Ply	2
Total Grammage	43,5 g
Unfolded length	25,5 cm
Roll/Piece Net Weight	2,35 g
Fibre Type	Virgin
Roll Gross Weight	2,4 g

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	7322540159974	7322540159981	7322540175233
Packaging Material	Banderole	Plastic	-
Pieces	150	3150 (21 CON)	100800 (32 TRP)
Height	130 mm	212 mm	1 846 mm
Length	85 mm	595 mm	1 200 mm
Width	212 mm	390 mm	800 mm
Gross Weight	359,74 g	7,65 kg	244,86 kg
Net Weight	352,74 g	7,41 kg	237,04 kg
Volume	2,34 dm3	49,2 dm3	1,57 m3
Layers Per Pallet	-	-	8
TRP Per Layer	-	-	4

Compatible Products



Tork Xpress Multifold Hand Towel Disp SS
460004



Tork Xpress Multifold Hand Towel Disp Wh
552000



Tork Xpress Multifold HT Disp Black
552008



Tork Xpress Countertop Multif HT Disp BI
552208

Environmental Information

Content	The product is made from Virgin pulp The packaging material is made from paper or plastic.
Material	Virgin fibres There are different methods used today for bleaching: ECF (elementary chlorine free, where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used. Virgin pulp fibres are produced out of softwood or hardwood. The wood is subject to chemical and/or mechanical processes where the cellulose fibres are separated out and lignin and other residuals are removed. Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.
Chemicals	All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view. To control product performance we use additives: • Wet strength agents (for Wipers and Hand Towels) • Dry strength agents (is used together with mechanical treatment of the pulp to make strong products like wipers) • For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added • For printing products printing inks (pigments with carriers and fixatives) are applied

- For multi ply products we often use water soluble glue to secure the integrity of the product

In most of our mills we do not add optical brighteners.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibres to prevent fiber loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke we use:

- Pulping aid (chemicals that help to repulp wet strong paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Food Contact	This product fulfills the legislative requirements for Food Contact materials, confirmed by external certification performed by a third party. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.
Environmental certification	This product is certified for the EU Ecolabel with certificate number SE/004/001. This product is certified for FSC®.
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 01-12-2021 Revision date: 21-05-2026
Production	This product is produced at Mannheim - DE mill and certified according to IFS, ISO 9001, ISO 14001 (Environmental management systems), CoC-PEFC, EMAS (eco-management and audit scheme), ISO 45001, ISO 50001 and FSC Chain-Of-Custody.
Destruction	This product is mainly used for personal hygiene and can be collected together with household waste.
Essity Hygiene and Health AB, 405 03 GÖTEBORG, Sweden	