



Description

Run your business more efficiently. Tork Xpressnap Fit® Advanced Napkins are perfect for quick-service food and drink restaurants, bars, pubs and food kiosks. Tork Xpressnap Fit® not only serves more guests between refills –compared to traditional napkin dispensers– it also cuts inventory space and reduces unused napkins thrown-away by more than 50%. Tork Xpressnap Fit® White Dispenser Napkins 2 ply are ideal for establishments that care about an enhanced guest experience.

- A napkin designed specifically for use with the Tork Xpressnap® Fit dispensing system.
- A space saving fold that opens to a full size napkin.
- Compact case which simplifies shipping and storage
- Unique pack solution, bundles are protected by a plastic bag for improved hygiene and handling
- Industrially Compostable Product

Product Certifications



Product Details

System	N14
Color	White
Unfolded length	21,3 cm
Ply	2
Size	Cocktail-Bar
Folded length	10,7 cm
Roll/Piece Net Weight	1,2 g
Pulp Quality Indicator	2
Panel	3
Fibre Type	Recycled
Unfolded Width	16,5 cm
Folding type	Multifold Z
Embossing	Yes
Total Grammage	34 g
Print	No
Folded width	8,3 cm

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	7322541071831	7322541071848	7322541172927
Packaging Material	Banderole / Shrink	Carton	-
Pieces	720	4320 (6 CON)	207360 (48 TRP)
Height	100 mm	267 mm	2 286 mm
Length	255 mm	446 mm	1 200 mm
Width	220 mm	308 mm	800 mm
Gross Weight	880,01 g	5,66 kg	271,78 kg
Net Weight	860,35 g	5,16 kg	247,78 kg
Volume	5,61 dm3	36,68 dm3	1,76 m3
Layers Per Pallet	-	-	8
TRP Per Layer	-	-	6

Compatible Products



Tork XPN Fit Tabletop NapDisp,Black(N14)
272900

Tork XPN Fit Counter NapDisp.Black (N14)
272901

Environmental Information

Content	The product is made from Recycled fibres Chemicals The packaging material is made from paper or plastic.
Material	Recycled fibres Recycling of paper is an efficient use of resources as the wood fibres are used more than once. High demands are put on quality and purity of recovered fibres, considering each step of the chain (collecting, sorting, transporting, storage, use), to ensure safe and hygienic products. Recovered paper can be produced both from collected newsprint, magazines and office waste. The choice of recovered paper grades, is made for each product, depending on its specific requirements on performance properties and brightness. The paper is dissolved in water, washed and treated with chemicals under high temperature and screened to separate out impurities. Bleaching is a cleaning process of the fibres that is often used. The aim is then to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. Bleaching of the recovered pulp is made with chlorine-free bleaching agents (hydrogene peroxide and sodium dithionite). Except for Natural Napkins that are unbleached. For bleached products we use bleaching agents (to increase the brightness of pulp from recovered paper).
Chemicals	All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view. To control product performance we use additives: • Wet strength agents (for Wipers and Hand Towels) • Dry strength agents (is used together with mechanical treatment of the pulp to make strong products like wipers) • For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added • For printed products printing inks (pigments with carriers and fixatives) are applied • For multi ply products we often use water soluble glue to secure the integrity of the product

In most of our mills we do not add optical brighteners but it often occurs in recovered paper since it is used in printing paper.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibers to prevent fiber loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke and to utilize recovered fibres we use:

- Pulping aid (chemicals that help to repulp wet strong paper)
- Flocculation chemicals (that help to clean out printing inks and fillers from recovered paper)
- Bleaching agents (to increase the brightness of pulp from recovered paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Food Contact	This product fulfills the legislative requirements for Food Contact materials, confirmed by external certification performed by a third party. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.
Environmental certification	This product is certified for the EU Ecolabel with certificate number SE/004/001. This product is certified for FSC®.
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 04-11-2019 Revision date: 10-06-2025
Production	This product is produced at Cuijk - NL mill and certified according to ISO 9001, BRC-IoP, ISO 14001 (Environmental management systems), ISO 45001 and FSC Chain-Of-Custody.
Destruction	The product is industrially compostable according to EN 13432 (Test report number 20LD03831). Local restrictions may apply. Before disposal in industrial compost bins, please check with local authorities to confirm that the product is accepted. Please also ensure that the product has not been used in connection with hazardous or non-compostable substances. Used products should not be handled over to recycling systems.
Essity Hygiene and Health AB, 405 03 GÖTEBORG, Sweden	