



Description

Satisfy hand drying needs with the Advanced Tork Singlefold Hand Towels with the right quality for when cost and performance are equally important. These towels are suitable for the Tork Singlefold Hand Towel Dispenser for demanding environments. It helps control consumption and helps promote good hygiene with its reliable one-at-a-time dispensing.

- Attractive Tork Leaf décor: designed to make a great impression
- Advanced quality for cost savings and high performance
- One-at-a-time dispensing for reduced consumption and increased hygiene

Product Certifications



For Wiping

Product Details

System	H3
Color	White
Folding type	Singlefold
Print	No
Unfolded Width	24,8 cm
Folded width	24,8 cm
Embossing	Yes
Pulp Quality Indicator	2
Folded length	11,5 cm
Ply	2
Number of Sheets	250
Total Grammage	40 g
Unfolded length	23 cm
Roll/Piece Net Weight	2,27 g
Fibre Type	Recycled
Roll Gross Weight	2,3 g

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	7322540542653	7322540542660	7322540549270
Packaging Material	Banderole	Carton	-
Pieces	250	3750 (15 CON)	105000 (28 TRP)
Height	130 mm	262 mm	1 984 mm
Length	115 mm	596 mm	1 200 mm
Width	248 mm	406 mm	800 mm
Gross Weight	576 g	9,3 kg	260,37 kg
Net Weight	568,2 g	8,52 kg	238,64 kg
Volume	3,71 dm3	63,4 dm3	1,77 m3
Layers Per Pallet	-	-	7
TRP Per Layer	-	-	4

Compatible Products



Tork Singlefold Hand Towel Disp White
553000

Environmental Information

Content	The product is made from Recycled fibres Chemicals The packaging material is made from paper or plastic.
Material	Recycled fibres Recycling of paper is an efficient use of resources as the wood fibres are used more than once. High demands are put on quality and purity of recovered fibres, considering each step of the chain (collecting, sorting, transporting, storage, use), to ensure safe and hygienic products. Recovered paper can be produced both from collected newsprint, magazines and office waste. The choice of recovered paper grades, is made for each product, depending on its specific requirements on performance properties and brightness. The paper is dissolved in water, washed and treated with chemicals under high temperature and screened to separate out impurities. Bleaching is a cleaning process of the fibres that is often used. The aim is then to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. Bleaching of the recovered pulp is made with chlorine-free bleaching agents (hydrogene peroxide and sodium dithionite). Except for Natural Napkins that are unbleached. For bleached products we use bleaching agents (to increase the brightness of pulp from recovered paper).
Chemicals	All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view. To control product performance we use additives: • Wet strength agents (for Wipers and Hand Towels) • Dry strength agents (is used together with mechanical treatment of the pulp to make strong products like wipers) • For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added • For printed products printing inks (pigments with carriers and fixatives) are applied • For multi ply products we often use water soluble glue to secure the integrity of the product

In most of our mills we do not add optical brighteners but it often occurs in recovered paper since it is used in printing paper.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibers to prevent fiber loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke and to utilize recovered fibres we use:

- Pulping aid (chemicals that help to repulp wet strong paper)
- Flocculation chemicals (that help to clean out printing inks and fillers from recovered paper)
- Bleaching agents (to increase the brightness of pulp from recovered paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Food Contact	This product fulfills the legislative requirements for Food Contact materials, confirmed by external certification performed by a third party. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.
Environmental certification	This product is certified for the EU Ecolabel with certificate number SE/004/001. This product is certified for FSC®.
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 09-05-2019 Revision date: 13-06-2025
Production	This product is produced at Kostheim - DE mill and certified according to HACCP, ISO 9001, ISO 14001 (Environmental management systems), EMAS (eco-management and audit scheme), ISO 45001, ISO 50001 and FSC Chain-Of-Custody.
Destruction	This product is mainly used for personal hygiene and can be collected together with household waste.

Essity Hygiene and Health AB, 405 03 GÖTEBORG, Sweden