



Description

Tackling dirt in tight spaces is simple with our flexible industrial cleaning cloths. Their design is soft, too, allowing staff to easily and quickly clean hard-to-reach details. Enjoy a sustainable boost to your business – we've lowered the CO2 emissions for Tork exelCLEAN® cloths by 28% since 2011* and made the packaging from recycled materials. For easy access at all times, use with the Tork W4 cleaning cloth dispenser. Its single-sheet dispensing means users only take what they need, creating less waste. * (Life Cycle Analysis) LCA conducted by Essity and IVL Svenska Miljöinstitutet in April 2021

- Tackle light to medium-duty cleaning tasks with these soft industrial cleaning cloths to make work fast and easy, especially when it comes to details of the design
- Handle all: oil, grease and water spills with ease using these multipurpose disposable cleaning cloths and simply your workstation set up
- Optimize consumption and minimize waste of cleaning cloths with the One-at-a-time dispensing feature.
- Improve your operation's sustainability – this product packaging is made out of 100% recycled fibres and at least 30% recycled plastics.

Product Certifications



Product Details

System	W4
Color	Grey
Print	No
Pulp Quality Indicator	3
Roll/Piece Net Weight	9,57 g
Folded length	10,5 cm
Unfolded Width	35,5 cm
Fibre Type	Nonwoven
Folded width	35,5 cm
Unfolded length	41,5 cm
Ply	1
Roll Gross Weight	9,66 g
Embossing	No
Total Grammage	65 g

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	7322541182759	7322541182766	7322541462073
Packaging Material	Plastic	Carton	-
Pieces	120	480 (4 CON)	28800 (60 TRP)
Height	160 mm	340 mm	2 190 mm
Length	110 mm	365 mm	1 200 mm
Width	356 mm	238 mm	800 mm
Gross Weight	1 159,72 g	5,03 kg	302,1 kg
Net Weight	1 149 g	4,6 kg	275,76 kg
Volume	6,27 dm3	29,54 dm3	1,77 m3
Layers Per Pallet	-	-	6
TRP Per Layer	-	-	10

1. Based on life-cycle assessment done by Essity and third-party verified in April 2021. Emission reduction vs assortment in 2011.
2. Panel test conducted by Swerea Research Institute, Sweden, 2014. Rental cloths, cotton rags and mixed rags were compared to Tork Heavy-Duty Cleaning Cloths
3. Panel test conducted by Swerea Research Institute, Sweden, 2014. Rental cloths, cotton rags and mixed rags were compared to Tork Heavy-Duty Cleaning Cloths
4. When cleaning with wipers vs rags and rentals. Panel test conducted by Swerea Research Institute, Sweden, 2014. Rental cloths, cotton rags and mixed rags were compared to Tork Heavy-Duty Cleaning Cloths.
5. Versus previous version; calculated per pound/kg/ton of product, 2021.
6. Represents the Tork exelCLEAN North American refill assortment per user occasion. Based on third party reviewed life cycle assessments (LCA) covering all refill quality tiers combined with consumption data. Because this data is a system average, it is not intended to be used in carbon reporting for specific articles and consumption.

Compatible Products



Tork Folded Wiper/Cloth Dispenser Turq
654000



Tork Folded Wiper/Cloth DispRed/Smoke
654008

Environmental Information

Raw materials	Cellulose pulp Polyester Polypropylene Functional agents or additives
Cellulose Pulp	Cellulose pulp is produced either from softwood or hardwood coming from responsibly managed forests. The wood chips are boiled together with chemicals to remove the lignin between the fibres. The pulp is TCF (Totally Chlorine Free) or ECF (Elementary Chlorine Free) bleached in order to achieve a clean, bright and strong product, but also to increase the hygienic and absorbent qualities.
Polyester	Polyester fibre is produced from terephthalic acid and ethylene glycol, which react through condensation to polyester resin. The molten resin is spun to fibres through spinnerets and cooled with air. The fibres are then cut to intended fibre length.
Polypropylene	Polypropylene or polypropene is a thermoplastic polymer made from oil. The moten resin is spun to endless fibres through spinnerets and cooled by air. The fibres form a web.
Functional agents and additives	Functional additives could be wet strength agent, antistatic agent and wetting additives /tensides.
Food Contact	This product fulfills the legislative requirements for Food Contact materials, confirmed by external certification performed by a third party. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.
Environmental certification	This product is certified for FSC®.
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 17-05-2021 Revision date: 21-05-2026

Production	This product is produced at Suameer - NL mill and certified according to ISO 9001 and ISO 14001 (Environmental management systems).
Disposal/destruction of used product	This product is mainly used for industrial processes. When used in industrial processes the product might through use be contaminated with different substances. This will determine how the used product will be handled/disposed of/destroyed. The product itself is suitable for incineration. If used in industrial processes contact local authorities before destruction.
Essity Hygiene and Health AB, 405 03 GÖTEBORG, Sweden	